Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(amplitud) with (Phase adj (error or detect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:56
		((multi adj channel) or (plural adj channels)) and transmitter and receiver and (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:30
L1	4881	375/354	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:49
L2	31	375/354 and master and slave and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:53
L3	80	375/354 and resolution and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:53
L4	7	375/354 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:54
L5	0	375/354 and master and slave and (clock adj recovery) and (resolution with metric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:54
L6	7	375/354 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:13
L7	2	375/355 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:14
L8	1	375/358 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:14

L9	0	375/359 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:15
L10	3	375/362 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:16
L11	7	375/371 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:17
L12	2	375/375 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:17
S1	0	"09/942820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:56
S2	2236	375/356	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:57
S3	2	master and slave and (clock adj recovery) and metric and (delay adj element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:16
S4	0	(bi adj directonal) and (communicaton adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:12
S5	0	(bi adj directional) and (communicaton adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:12
S6	5	(bi adj directional) and (communication adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13

|						
S7	0	(bi adj directional) and (communication adj link) and (plural adj channels) and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S8	73218	masterand slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S9	54495	master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S10	615	master and slave and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:14
S11	34	S2 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:14
S12	9	master and slave and (clock adj recovery) and metric and delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:22
S13	0	(multi adj channel) and (transmitter near2 clock) and (receiver with (clock adj recovery) with delay with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:25
S14	0	(multi adj channel) and (transmitter with clock) and (receiver with (clock adj recovery) with delay with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:26
S15	0	(multi adj channel) and (transmitter with clock) and (receiver same (clock adj recovery) same delay same control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:26
S16	0	(multi adj channel) and (transmitter same clock) and (receiver same (clock adj recovery) same delay same control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:26

S17	18	(multi adj channel) and (transmitter same clock) and (receiver same (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:28
S19	29	((multi adj channel) or (plural adj channels)) and transmitter and receiver and ((clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:40
S20	1031	(clock adj recovery) same delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:40
S21	40	(clock adj recovery) same delay and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:41
S22	15	(receiver with (clock adj recovery)) same delay and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF[i]	2004/11/24 08:31
S23	12	(receiver with (clock adj recovery)) same delay and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:48
S24	26	(receiver with (clock adj recovery)) same delay and lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:37
S25	1	(receiver with (clock adj recovery)) same delay and dsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:50
S26	32	(receiver with (clock adj recovery)) and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:53
S28	138	(receiver same (clock adj recovery)) and (adsl or (subscriber adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:55

S29	69	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S30	0	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and (corss adj talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:04
S31	9	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and (cross adj talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:10
S33	86447	leading with trailing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:28
S34	23440	leading with trailing with edges	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:30
S35	8	"leading and trailing edges"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:29
S36	5956	leading with trailing with edges with between	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:58
S37	0	S29 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S38	229	S36 and master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S39	48	S36 and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31

S40	72	leading with trailing with edges with between and (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:00
S41	10	(leading with trailing with edges with between) same (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:00
S42	6	(leading with trailing with edges with between) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:59
S43	146	(amplitude with level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:06
S44	14	(amplitude adj level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:01
S45	0	(allow adj amplitude adj level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:07
S46	0	(allow adj amplitude) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:09
S47	2134	(amplitude) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:09
S48	1	(turbo adj code$1) with (algebra$6 adj encod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:03
S49	1	(turbo adj code$1) same (algebra$6 adj encod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:12

S50	1	(turbo adj code$1) with (algebra$6 adj encod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:04
S51	32	algebra$6 adj encod$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:06
S52	167	adsl and fext and next	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:10
S53	128	adsl and fext and next and crosstalk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:10
S54	22	adsl and fext and next and crosstalk and (timing adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:10
S55	4	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and fext	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:54
S56	41	(receiver same (clock adj recovery)) and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:07
S57	18	((multi adj channel) or (plural adj channels)) and (transmitter same clock) and (receiver same (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:11
S58	13	(timing adj recovery) with (subscriber adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:15
S59	5	("4214128" | "4494211" | "4514760" | "5048061" | "5062124").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 15:29

S60	0	(allow$3 adj amplitud) and (Phase adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:54
S61	2	(amplitud) with (Phase adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:56
S62	2	(amplitud) with (Phase adj (error or detect$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:18
S63	11	(eye adj diagram) with (Phase adj (error or detect$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:59
S64	2	(amplitud) same (Phase adj (error or detect$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:18
S65	6	(amplitud) and (Phase adj (error or detect$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:49

Google

between "allowed amplitude" resolution sla | Search | Advanced Search
Preferences

Web   Results **1 - 4** of about **5** for <u>between</u> **"allowed amplitude" resolution slave**. (0.04 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] New algorithms for hyperbolic radionavigation - Radar and Signal ...
File Format: PDF/Adobe Acrobat
... response in the time domain **allowed amplitude** settling to ... be difficult to achieve
adequate tracking **between** the RF ... P, and hence maximises the **resolution** of the ...
ieeexplore.ieee.org/iel1/2209/5469/00210678.pdf - <u>Similar pages</u>

[PS] Title: New algorithms for hyperbolic radionavigation Author: AJ ...
File Format: Adobe PostScript - <u>View as Text</u>
... the response in the time domain **allowed amplitude** settling to ... Now the orange frequencies
all lie **between** f35 and ... P, and hence maximizes the **resolution** of the ...
www-users.cs.york.ac.uk/~fisher/pubs/navig.ps.Z - <u>Similar pages</u>

[PS] Microprocessor-based
File Format: Adobe PostScript - <u>View as Text</u>
... response in the time domain **allowed amplitude** settling to ... difficult to achieve adequate
tracking **between** the RF ... somemaximum count P-1. The **resolution** to which ...
www.cs.york.ac.uk/ftpdir/reports/YCS-93-194.ps.Z - <u>Similar pages</u>

[PDF] Handout One
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... a debate has been going on for a couple of years **between** advocates of ... 96 dB • theoretical
SNR (for sinusoidal signal of maximum **allowed amplitude**) at least ...
www.inthemedia.net/audiorus/dscworkbook.pdf - Supplemental Result - <u>Similar pages</u>

*In order to show you the most relevant results, we have omitted some entries very similar to the 4
already displayed.*
If you like, you can <u>repeat the search with the omitted results included</u>.

(@) Free! Google Desktop Search: Search your email, files, chats & web history. <u>Download Now.</u>

between "allowed amplitude" res(| Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2004 Google

◈IEEE

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore*®
RELEASE 1.8

Welcome
United States Patent and Trademark Office

IEEE Xplo
1 Million Doc
1 Million User
...And Gro

Help   FAQ   Terms   IEEE Peer Review   **Quick Links**   ▾

» Search Res

Welcome to IEEE *Xplore*®

○ Home
○ What Can
    I Access?
○ Log-out

Tables of Contents

○ Journals
    & Magazines
○ Conference
    Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced
○ CrossRef

Member Services

○ Join IEEE
○ Establish IEEE
    Web Account
○ Access the
    IEEE Member
    Digital Library

IEEE Enterprise

○ Access the
    IEEE Enterprise
    File Cabinet

Your search matched **0** of **1097671** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or entering a new one in the text box.

allowed amplitude<and>slave | Search |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

Results:
No documents matched your query.

🖨 **Print Format**

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore®*
RELEASE 1.8

Welcome
United States Patent and Trademark Office

IEEE *Xplo*
1 Million Doc
1 Million User
...And Gro

Help   FAQ   Terms   IEEE Peer Review   **Quick Links**

» Search Res

Welcome to IEEE *Xplore*

O- **Home**
O- **What Can
I Access?**
O- **Log-out**

Tables of Contents

O- **Journals
& Magazines**
O- **Conference
Proceedings**
O- **Standards**

Search

O- **By Author**
O- **Basic**
O- **Advanced**
O- **CrossRef**

Member Services

O- **Join IEEE**
O- **Establish IEEE
Web Account**
O- **Access the
IEEE Member
Digital Library**

IEEE Enterprise

O- **Access the
IEEE Enterprise
File Cabinet**

🖨 **Print Format**

Your search matched **3** of **1097671** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in
Descending order.

Refine This Search:
You may refine your search by editing the current search expression or entering a
new one in the text box.

allowed amplitude<and>error | **Search** |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

1 **Performance of a 6 to 18 GHz frequency translator utilizing GaAs MMIC
5-bit digital phase shifter**
Mazumder, S.R.; Isham, C.M.;
Microwave Symposium Digest, 1995., IEEE MTT-S International , 16-20 May 1995
Pages:5 - 8 vol.1

[Abstract]   [PDF Full-Text (433 KB)]   **IEEE CNF**

2 **Data bearing peak reduction carriers for OFDM systems**
Tan, C.E.; Wassell, I.J.;
Information, Communications and Signal Processing, 2003 and the Fourth Pacific
Rim Conference on Multimedia. Proceedings of the 2003 Joint Conference of the
Fourth International Conference on , Volume: 2 , 15-18 Dec. 2003
Pages:854 - 858 vol.2

[Abstract]   [PDF Full-Text (380 KB)]   **IEEE CNF**

3 **Performance of a 6 to 18 GHz frequency translator utilizing GaAs MMIC
5-bit digital phase shifter**
Mazumder, S.R.; Isham, C.M.;
Microwave and Millimeter-Wave Monolithic Circuits Symposium, 1995. Digest of
Papers., IEEE 1995 , 15-16 May 1995
Pages:141 - 144

[Abstract]   [PDF Full-Text (312 KB)]   **IEEE CNF**